

GF Silenta 3A pipe with single socket 125x3000mm

1147169

- Light blue, three-layer, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A pipe with single socket

Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A pipe with single socket 125x3000mm

1147169



Status

Item Available From date

2026-02-01

Product code

Item no EAN	8698652163185
Item no GF	4604012510621
Item no GTIN	08698652163185
Item no NOBB	60823923
Item no NRF	1486254
Item no RSK	2749211
Item no VVS	186715300

Dimensions

Item Unit Height	125
Item Unit Length	3000
Item Unit Weight	5,431
Item Unit Width	125
Item_UOM	pce

Measurements

LENGTH_L	3000
Length (l1)	64
Z Measurement d	125
Z Measurement d1	125
Z measurement m	64

Technical data

Recycling Text Block PL4

wooden pallet / pallet di legno

Packaging

Packaging GTIN PL1	06414900598248
Packaging GTIN PL4	06414900598255
Packaging Height PL1	125

Packaging Height PL4	528
Packaging Length PL1	3000
Packaging Length PL4	3128
Packaging Material (number) PL4	51
Packaging Material PL4	wooden pallet / pallet di legno
Packaging Material (short) PL4	WOOD
Packaging Quantity PL1	1
Packaging Quantity PL4	24
Packaging Type PL1	PIECE
Packaging Type PL4	CAGE
Packaging Volume PL1	0,046875
Packaging Volume PL4	1,8167424
Packaging Weight PL1	5,431
Packaging Weight PL4	146,344
Packaging Width PL1	125
Packaging Width PL4	1100

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com