

GF Silenta 3A pipe with single socket 160x1000mm

1147173

- Light blue, three-layer, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A pipe with single socket

Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A pipe with single socket 160x1000mm

1147173



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652163321
Item no GF	4604016010421
Item no GTIN	08698652163321
Item no NOBB	60823927
Item no NRF	1486258
Item no RSK	2749215
Item no VVS	186716100

Dimensions

Item Unit Height	160
Item Unit Length	1000
Item Unit Weight	3,023
Item Unit Width	160
Item_UOM	pce

Measurements

LENGTH_L	1000
Length (l1)	73
Z Measurement d	160
Z Measurement d1	160
Z measurement m	73

Technical data

Recycling Text Block PL4 wooden pallet / pallet di legno

Packaging

Packaging GTIN PL1	06414900598262
Packaging GTIN PL4	06414900598279
Packaging Height PL1	160

Packaging Height PL4	604
Packaging Length PL1	1000
Packaging Length PL4	1146
Packaging Material (number) PL4	51
Packaging Material PL4	wooden pallet / pallet di legno
Packaging Material (short) PL4	WOOD
Packaging Quantity PL1	1
Packaging Quantity PL4	21
Packaging Type PL1	PIECE
Packaging Type PL4	CAGE
Packaging Volume PL1	0,0256
Packaging Volume PL4	0,8306208
Packaging Weight PL1	3,023
Packaging Weight PL4	79,483
Packaging Width PL1	160
Packaging Width PL4	1200

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com