

## GF Silenta 3A pipe with single socket 160x3000mm

1147175

- Light blue, three-layer, PP-material with inorganic filler, according to EN 1451



### Application information GF Silenta 3A pipe with single socket

#### Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

#### Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

## GF Silenta 3A pipe with single socket 160x3000mm

1147175



### Status

Item Available From date 2026-02-01

### Product code

Item no EAN	8698652163345
Item no GF	4604016010621
Item no GTIN	08698652163345
Item no NOBB	60823929
Item no NRF	1486260
Item no RSK	2749217
Item no VVS	186716300

### Dimensions

Item Unit Height	160
Item Unit Length	3000
Item Unit Weight	8,3
Item Unit Width	160
Item_UOM	pce

### Measurements

LENGTH_L	3000
Length (l1)	73
Z Measurement d	160
Z Measurement d1	160
Z measurement m	73

### Technical data

Recycling Text Block PL4 wooden pallet / pallet di legno

### Packaging

Packaging GTIN PL1	06414900561167
Packaging GTIN PL4	06414900598316
Packaging Height PL1	160

Packaging Height PL4	630
Packaging Length PL1	3000
Packaging Length PL4	3146
Packaging Material (number) PL4	51
Packaging Material PL4	wooden pallet / pallet di legno
Packaging Material (short) PL4	WOOD
Packaging Quantity PL1	1
Packaging Quantity PL4	21
Packaging Type PL1	PIECE
Packaging Type PL4	CAGE
Packaging Volume PL1	0,0768
Packaging Volume PL4	2,4180156
Packaging Weight PL1	8,3
Packaging Weight PL4	190,3
Packaging Width PL1	160
Packaging Width PL4	1220

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)