

GF Silenta 3A socket plug 40mm

1147251

- Light blue, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A socket plug

Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A socket plug 40mm

1147251

**Status**

Item Available From date 2026-02-01

Product code

Item no EAN 8698652183107

Item no GF 4704904000221

Item no GTIN 08698652183107

Item no NOBB 60823936

Item no NRF 1486267

Item no RSK 2832212

Dimensions

Item Unit Height 45

Item Unit Length 48

Item Unit Weight 0,02206

Item Unit Width 48

Item_UOM pce

Packaging

Packaging GTIN PL1 06414900553483

Packaging GTIN PL2 06414900613828

Packaging GTIN PL4 06414900613835

Packaging Height PL1 45

Packaging Height PL2 400

Packaging Height PL4 944

Packaging Length PL1 48

Packaging Length PL2 800

Packaging Length PL4 1200

Packaging Quantity PL1 1

Packaging Quantity PL2 1000

Packaging Quantity PL4 4000

Packaging Type PL1	Piece
Packaging Type PL2	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00010368
Packaging Volume PL2	0,192
Packaging Volume PL4	0,90624
Packaging Weight PL1	0,02206
Packaging Weight PL2	23,62
Packaging Weight PL4	119,48
Packaging Width PL1	48
Packaging Width PL2	600
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com