
Product data sheet



GF JRGUMAT transition set DN50

1149451

- Description: Transition to JRGUMAT 3350 to 3400
- Material: gunmetal



Application information GF JRGUMAT transition set

Specification


- Dimensionen: DN15 – DN80
- Temperaturbereich: 20-80°C, e.g. 25, 40, 55 and 70°C)

Application

- Potable water systems with requirement for constant mixed water temperature
- Central and decentralized hot water mixing for single and multifamily homes, hospitality buildings and sports facilities
- Excess temperature protection in systems using alternative forms of energy such as solar systems

GF JRGUMAT transition set DN50

1149451



Status

Item Available Till date	2026-12-31T00:00:00.000+0100

Product code

Item no EAN	7613263017017
Item no GF	350598001
Item no GTIN	07613263017017
Item no RSK	4893383

Dimensions

Item Unit Height	100
Item Unit Length	220
Item Unit Weight	1,715
Item Unit Width	120
Item_UOM	pce

Measurements

Length (l1)	44,5
Length (l2)	34,5
Z Measurement d	50
Z Measurement d1	2 3/4

Packaging

Packaging GTIN PL1	06414900057592
Packaging Height PL1	100
Packaging Length PL1	220
Packaging Quantity PL1	1
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,00264
Packaging Weight PL1	1,794

Packaging Width PL1	120

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+