
# Product data sheet



# GF JRGUMAT thermostatic mixing valve 3410, 40°C DN80

## 1149530

- Made of gunmetal (lead-free)
- Temperature: max. 90°C
- Nominal pressure: PN10
- Factory setting: 40°C (30-45°C)
- Connection: flange




## Application information GF JRGUMAT thermostatic mixing valve 3410, 40°C

### Specification


- Dimensionen: DN15 – DN80
- Temperaturbereich: 20-80°C, e.g. 25, 40, 55 and 70°C)

### Application

- Potable water systems with requirement for constant mixed water temperature
- Central and decentralized hot water mixing for single and multifamily homes, hospitality buildings and sports facilities
- Excess temperature protection in systems using alternative forms of energy such as solar systems

# GF JRGUMAT thermostatic mixing valve 3410, 40°C DN80

## 1149530




### Product code

| | |
|---|---|
| Item no EAN | 7613263101488 |
| Item no GF | 350767415 |
| Item no GTIN | 07613263101488 |

### Dimensions

| | |
|---|---|
| Item Unit Height | 282.5 |
| Item Unit Length | 310 |
| Item Unit Weight | 27,5 |
| Item Unit Width | 200 |
| Item_UOM | pce |

### Measurements

| | |
|---|---|
| Length (l1) | 155 |
| Length (l2) | 310 |
| Length (l3) | 124 |
| Z Measurement d1 | 80 |
| Z Measurement d2 | G2" |
| Z Measurement d3 | 200 |
| Z Measurement d3 | 200 |
| Z Measurement h1 | 92 |
| Z Measurement h2 | 127 |

### Packaging

| | |
|---|---|
| Packaging GTIN PL1 | 06414900169707 |
| Packaging Height PL1 | 230 |
| Packaging Length PL1 | 420 |
| Packaging Quantity PL1 | 1 |
| Packaging Type PL1 | Base_Box |

| | |
|---|---|
| Packaging Volume PL1 | 0,034293 |
| Packaging Weight PL1 | 27,891 |
| Packaging Width PL1 | 355 |

## Documents

Page with all documents

# Excellence in Flow

Visit our webpage to get in contact with your local specialist:
**www.georgfischer.com/locations**



**Uponor Corporation**

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+