

## GF HT-PP pipe with single socket 50x500mm

1150083

- Gray, monolayer, PP-material, according to EN 1451. The S class is S20.



### Application information GF HT-PP pipe with single socket

#### Specification

- The system is made from monolayer polypropylene (PP) to ensure reliable performance in standard drainage applications.
- It is designed for non-pressurized soil and wastewater drainage in residential and commercial buildings.
- The system is fully compliant with EN 1451-1 for plastic soil and waste discharge and EN 13501 for fire classification.
- It achieves fire performance rating E according to EN 13501.
- The pipes are suitable for short-term exposure to high-temperature wastewater.
- The material provides high resistance to chemicals commonly found in domestic and commercial wastewater.
- The push-fit socket design with integrated sealing rings ensures quick installation and leak-tight connections.
- The system is available in nominal diameters ranging from DN 32 to DN 200.

#### Application

- Residential buildings
- Office buildings and conference facilities
- Schools, libraries, hospitals, and hotels
- Underground and above-ground house drainage
- Sustainable / green building projects
- Industrial facilities (short- and long-term use)
- Wastewater from kitchens, bathrooms, and household appliances (e.g. washing machines, dishwashers)

## GF HT-PP pipe with single socket 50x500mm

1150083



### Status

Item Available From date 2026-02-01

### Product code

Item no EAN	8698652031354
Item no GF	4801005002221
Item no GTIN	08698652031354
Item no VVS	186022050

### Dimensions

Item Unit Height	50
Item Unit Length	500
Item Unit Weight	0,197
Item Unit Width	50
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900602204
Packaging GTIN PL2	06414900172981
Packaging GTIN PL4	06414900249638
Packaging Height PL1	50
Packaging Height PL2	400
Packaging Height PL4	1200
Packaging Length PL1	500
Packaging Length PL2	800
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	90
Packaging Quantity PL4	540
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,00125
Packaging Volume PL2	0,192
Packaging Volume PL4	1,44
Packaging Weight PL1	0,197
Packaging Weight PL2	17,73
Packaging Weight PL4	131,38
Packaging Width PL1	50
Packaging Width PL2	600
Packaging Width PL4	1000

## Measurements

Wall thickness_s	20
Z Measurement d	60
Z Measurement d1	50
Z Measurement e	1,8
Z Measurement L1	50

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

E  
communications@georgfischer.  
com