

## GF HT-PP pipe with single socket S20 75x150mm

1150091

- Gray, monolayer, PP-material, according to EN 1451. The S class is S20.



### Application information GF HT-PP pipe with single socket

#### Specification

- The system is made from monolayer polypropylene (PP) to ensure reliable performance in standard drainage applications.
- It is designed for non-pressurized soil and wastewater drainage in residential and commercial buildings.
- The system is fully compliant with EN 1451-1 for plastic soil and waste discharge and EN 13501 for fire classification.
- It achieves fire performance rating E according to EN 13501.
- The pipes are suitable for short-term exposure to high-temperature wastewater.
- The material provides high resistance to chemicals commonly found in domestic and commercial wastewater.
- The push-fit socket design with integrated sealing rings ensures quick installation and leak-tight connections.
- The system is available in nominal diameters ranging from DN 32 to DN 200.

#### Application

- Residential buildings
- Office buildings and conference facilities
- Schools, libraries, hospitals, and hotels
- Underground and above-ground house drainage
- Sustainable / green building projects
- Industrial facilities (short- and long-term use)
- Wastewater from kitchens, bathrooms, and household appliances (e.g. washing machines, dishwashers)

## GF HT-PP pipe with single socket S20 75x150mm

1150091



### Status

Item Available From date 2026-02-01

### Product code

Item no EAN	8698652031408
Item no GF	4801007503021
Item no GTIN	08698652031408
Item no VVS	186024015

### Dimensions

Item Unit Height	75
Item Unit Length	150
Item Unit Weight	0,133
Item Unit Width	75
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900553414
Packaging GTIN PL2	06414900173056
Packaging GTIN PL4	06414900249683
Packaging Height PL1	75
Packaging Height PL2	400
Packaging Height PL4	1200
Packaging Length PL1	150
Packaging Length PL2	800
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	100
Packaging Quantity PL4	600
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,00084375
Packaging Volume PL2	0,192
Packaging Volume PL4	1,44
Packaging Weight PL1	0,133
Packaging Weight PL2	13,3
Packaging Weight PL4	104,8
Packaging Width PL1	75
Packaging Width PL2	600
Packaging Width PL4	1000

## Measurements

Wall thickness_s	20
Z Measurement d	85,2
Z Measurement d1	75
Z Measurement e	1,9
Z Measurement L1	55

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

E  
communications@georgfischer.  
com