

## GF HT-PP pipe with single socket S20 75x1000mm

**1150094**

- Gray, monolayer, PP-material, according to EN 1451. The S class is S20.



### Application information GF HT-PP pipe with single socket

#### Specification

- The system is made from monolayer polypropylene (PP) to ensure reliable performance in standard drainage applications.
- It is designed for non-pressurized soil and wastewater drainage in residential and commercial buildings.
- The system is fully compliant with EN 1451-1 for plastic soil and waste discharge and EN 13501 for fire classification.
- It achieves fire performance rating E according to EN 13501.
- The pipes are suitable for short-term exposure to high-temperature wastewater.
- The material provides high resistance to chemicals commonly found in domestic and commercial wastewater.
- The push-fit socket design with integrated sealing rings ensures quick installation and leak-tight connections.
- The system is available in nominal diameters ranging from DN 32 to DN 200.

#### Application

- Residential buildings
- Office buildings and conference facilities
- Schools, libraries, hospitals, and hotels
- Underground and above-ground house drainage
- Sustainable / green building projects
- Industrial facilities (short- and long-term use)
- Wastewater from kitchens, bathrooms, and household appliances (e.g. washing machines, dishwashers)

## GF HT-PP pipe with single socket S20 75x1000mm

1150094



### Status

Item Available From date

2026-02-01

### Product code

|              |                |
|--------------|----------------|
| Item no EAN  | 8698652031439  |
| Item no GF   | 4801007503321  |
| Item no GTIN | 08698652031439 |
| Item no VVS  | 186024100      |

### Dimensions

|                  |       |
|------------------|-------|
| Item Unit Height | 75    |
| Item Unit Length | 1000  |
| Item Unit Weight | 0,547 |
| Item Unit Width  | 75    |
| Item_UOM         | pce   |

### Packaging

|                        |                |
|------------------------|----------------|
| Packaging GTIN PL1     | 06414900551977 |
| Packaging GTIN PL2     | 06414900173087 |
| Packaging Height PL1   | 75             |
| Packaging Height PL2   | 400            |
| Packaging Length PL1   | 1000           |
| Packaging Length PL2   | 1000           |
| Packaging Quantity PL1 | 1              |
| Packaging Quantity PL2 | 10             |
| Packaging Type PL1     | Piece          |
| Packaging Type PL2     | Bag            |
| Packaging Volume PL1   | 0,005625       |
| Packaging Volume PL2   | 0,068          |
| Packaging Weight PL1   | 0,547          |
| Packaging Weight PL2   | 5,47           |

|                     |     |
|---------------------|-----|
| Packaging Width PL1 | 75  |
| Packaging Width PL2 | 170 |

## Documents

Page with all documents 

### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)