

GF HT-PP pipe with single socket S20 110x1000mm

1150100

- Gray, monolayer, PP-material, according to EN 1451. The S class is S20.



Application information GF HT-PP pipe with single socket

Specification

- The system is made from monolayer polypropylene (PP) to ensure reliable performance in standard drainage applications.
- It is designed for non-pressurized soil and wastewater drainage in residential and commercial buildings.
- The system is fully compliant with EN 1451-1 for plastic soil and waste discharge and EN 13501 for fire classification.
- It achieves fire performance rating E according to EN 13501.
- The pipes are suitable for short-term exposure to high-temperature wastewater.
- The material provides high resistance to chemicals commonly found in domestic and commercial wastewater.
- The push-fit socket design with integrated sealing rings ensures quick installation and leak-tight connections.
- The system is available in nominal diameters ranging from DN 32 to DN 200.

Application

- Residential buildings
- Office buildings and conference facilities
- Schools, libraries, hospitals, and hotels
- Underground and above-ground house drainage
- Sustainable / green building projects
- Industrial facilities (short- and long-term use)
- Wastewater from kitchens, bathrooms, and household appliances (e.g. washing machines, dishwashers)

GF HT-PP pipe with single socket S20 110x1000mm

1150100



Status

Item Available From date

2026-02-01

Product code

Item no EAN 8698652031507

Item no GF 4801011004321

Item no GTIN 08698652031507

Item no VVS 186027100

Dimensions

Item Unit Height 110

Item Unit Length 1000

Item Unit Weight 1,149

Item Unit Width 110

Item_UOM pce

Packaging

Packaging GTIN PL1 06414900600187

Packaging GTIN PL2 06414900173148

Packaging Height PL1 110

Packaging Height PL2 250

Packaging Length PL1 1000

Packaging Length PL2 1000

Packaging Quantity PL1 1

Packaging Quantity PL2 4

Packaging Type PL1 Piece

Packaging Type PL2 Bag

Packaging Volume PL1 0,0121

Packaging Volume PL2 0,0625

Packaging Weight PL1 1,149

Packaging Weight PL2 4,596

Packaging Width PL1	110
Packaging Width PL2	250
Measurements	
Wall thickness_s	20
Z Measurement d	120,6
Z Measurement d1	110
Z Measurement e	2,7
Z Measurement L1	65

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com