


## GF HT-PP Pipe with single socket S16 110x2000mm

### 1150106

- Gray, monolayer, PP-material, according to EN 1451



## Application information GF HT-PP Pipe with single socket S16

### Specification


- The system is made from monolayer polypropylene (PP) to ensure reliable performance in standard drainage applications.
- It is designed for non-pressurized soil and wastewater drainage in residential and commercial buildings.
- The system is fully compliant with EN 1451-1 for plastic soil and waste discharge and EN 13501 for fire classification.
- It achieves fire performance rating E according to EN 13501.
- The pipes are suitable for short-term exposure to high-temperature wastewater.
- The material provides high resistance to chemicals commonly found in domestic and commercial wastewater.
- The push-fit socket design with integrated sealing rings ensures quick installation and leak-tight connections.
- The system is available in nominal diameters ranging from DN 32 to DN 200.

### Application

- Residential buildings
- Office buildings and conference facilities
- Schools, libraries, hospitals, and hotels
- Underground and above-ground house drainage
- Sustainable / green building projects
- Industrial facilities (short- and long-term use)
- Wastewater from kitchens, bathrooms, and household appliances (e.g. washing machines, dishwashers)

## GF HT-PP Pipe with single socket S16 110x2000mm

1150106



### Status

Item Available From date

2026-02-01

### Product code

|              |                |
|--------------|----------------|
| Item no EAN  | 8698652092683  |
| Item no GF   | 4801011025421  |
| Item no GTIN | 08698652092683 |

### Dimensions

|                  |       |
|------------------|-------|
| Item Unit Height | 110   |
| Item Unit Length | 2000  |
| Item Unit Weight | 2,398 |
| Item Unit Width  | 110   |
| Item_UOM         | pce   |

### Packaging

|                        |                |
|------------------------|----------------|
| Packaging GTIN PL1     | 06414900600156 |
| Packaging GTIN PL2     | 06414900173193 |
| Packaging Height PL1   | 110            |
| Packaging Height PL2   | 250            |
| Packaging Length PL1   | 2000           |
| Packaging Length PL2   | 2000           |
| Packaging Quantity PL1 | 1              |
| Packaging Quantity PL2 | 4              |
| Packaging Type PL1     | Piece          |
| Packaging Type PL2     | Bag            |
| Packaging Volume PL1   | 0,0242         |
| Packaging Volume PL2   | 0,125          |
| Packaging Weight PL1   | 2,398          |
| Packaging Weight PL2   | 9,592          |
| Packaging Width PL1    | 110            |

Packaging Width PL2

250

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)