

## GF HT-PP pipe with single socket S20 125x2000mm

1150111

- Gray, monolayer, PP-material, according to EN 1451. The S class is S20.



### Application information GF HT-PP pipe with single socket

#### Specification

- The system is made from monolayer polypropylene (PP) to ensure reliable performance in standard drainage applications.
- It is designed for non-pressurized soil and wastewater drainage in residential and commercial buildings.
- The system is fully compliant with EN 1451-1 for plastic soil and waste discharge and EN 13501 for fire classification.
- It achieves fire performance rating E according to EN 13501.
- The pipes are suitable for short-term exposure to high-temperature wastewater.
- The material provides high resistance to chemicals commonly found in domestic and commercial wastewater.
- The push-fit socket design with integrated sealing rings ensures quick installation and leak-tight connections.
- The system is available in nominal diameters ranging from DN 32 to DN 200.

#### Application

- Residential buildings
- Office buildings and conference facilities
- Schools, libraries, hospitals, and hotels
- Underground and above-ground house drainage
- Sustainable / green building projects
- Industrial facilities (short- and long-term use)
- Wastewater from kitchens, bathrooms, and household appliances (e.g. washing machines, dishwashers)

## GF HT-PP pipe with single socket S20 125x2000mm

1150111



### Status

Item Available From date

2026-02-01

### Product code

Item no EAN 8698652031583

Item no GF 4801012505421

Item no GTIN 08698652031583

Item no VVS 186028200

### Dimensions

Item Unit Height 125

Item Unit Length 2000

Item Unit Weight 2,822

Item Unit Width 125

Item\_UOM pce

### Packaging

Packaging GTIN PL1 06414900600255

Packaging GTIN PL2 06414900173247

Packaging Height PL1 125

Packaging Height PL2 275

Packaging Length PL1 2000

Packaging Length PL2 2000

Packaging Quantity PL1 1

Packaging Quantity PL2 4

Packaging Type PL1 Piece

Packaging Type PL2 Bag

Packaging Volume PL1 0,03125

Packaging Volume PL2 0,15125

Packaging Weight PL1 2,822

Packaging Weight PL2 11,288

Packaging Width PL1	125
Packaging Width PL2	275

## Documents

Page with all documents 

### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)