


GF HT-PP elbow 15deg 32mm

1150121

- Gray, PP-material, according to EN 1451



Application information GF HT-PP elbow 15deg

Specification

- The system is made from monolayer polypropylene (PP) to ensure reliable performance in standard drainage applications.
- It is designed for non-pressurized soil and wastewater drainage in residential and commercial buildings.
- The system is fully compliant with EN 1451-1 for plastic soil and waste discharge and EN 13501 for fire classification.
- It achieves fire performance rating E according to EN 13501.
- The pipes are suitable for short-term exposure to high-temperature wastewater.
- The material provides high resistance to chemicals commonly found in domestic and commercial wastewater.
- The push-fit socket design with integrated sealing rings ensures quick installation and leak-tight connections.
- The system is available in nominal diameters ranging from DN 32 to DN 200.

Application

- Residential buildings
- Office buildings and conference facilities
- Schools, libraries, hospitals, and hotels
- Underground and above-ground house drainage
- Sustainable / green building projects
- Industrial facilities (short- and long-term use)
- Wastewater from kitchens, bathrooms, and household appliances (e.g. washing machines, dishwashers)

GF HT-PP elbow 15deg 32mm

1150121



Status

Item Available From date

2026-02-01

Product code

Item no EAN 8698652047324

Item no GF 4901103200121

Item no GTIN 08698652047324

Item no VVS 186174032

Dimensions

Item Unit Height 90

Item Unit Length 45

Item Unit Weight 0,015

Item Unit Width 45

Item_UOM pce

Packaging

Packaging GTIN PL1 06414900553490

Packaging GTIN PL2 06414900230858

Packaging GTIN PL4 06414900249850

Packaging Height PL1 90

Packaging Height PL2 400

Packaging Height PL4 1200

Packaging Length PL1 45

Packaging Length PL2 800

Packaging Length PL4 1200

Packaging Quantity PL1 1

Packaging Quantity PL2 1000

Packaging Quantity PL4 6000

Packaging Type PL1 Piece

Packaging Type PL2 Medium_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,00018225
Packaging Volume PL2	0,192
Packaging Volume PL4	1,152
Packaging Weight PL1	0,015
Packaging Weight PL2	15
Packaging Weight PL4	115
Packaging Width PL1	45
Packaging Width PL2	600
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com