


GF HT-PP elbow 45deg 40mm

1150127

- Gray, PP-material, according to EN 1451



Application information GF HT-PP elbow 45deg

Specification

- The system is made from monolayer polypropylene (PP) to ensure reliable performance in standard drainage applications.
- It is designed for non-pressurized soil and wastewater drainage in residential and commercial buildings.
- The system is fully compliant with EN 1451-1 for plastic soil and waste discharge and EN 13501 for fire classification.
- It achieves fire performance rating E according to EN 13501.
- The pipes are suitable for short-term exposure to high-temperature wastewater.
- The material provides high resistance to chemicals commonly found in domestic and commercial wastewater.
- The push-fit socket design with integrated sealing rings ensures quick installation and leak-tight connections.
- The system is available in nominal diameters ranging from DN 32 to DN 200.

Application

- Residential buildings
- Office buildings and conference facilities
- Schools, libraries, hospitals, and hotels
- Underground and above-ground house drainage
- Sustainable / green building projects
- Industrial facilities (short- and long-term use)
- Wastewater from kitchens, bathrooms, and household appliances (e.g. washing machines, dishwashers)

GF HT-PP elbow 45deg 40mm

1150127



Status

Item Available From date

2026-02-01

Product code

Item no EAN 8698652043128

Item no GF 4901104001221

Item no GTIN 08698652043128

Item no VVS 186154040

Dimensions

Item Unit Height 85

Item Unit Length 55

Item Unit Weight 0,046

Item Unit Width 95

Item_UOM pce

Packaging

Packaging GTIN PL1 06414900601542

Packaging GTIN PL2 06414900230919

Packaging GTIN PL4 06414900103695

Packaging Height PL1 85

Packaging Height PL2 400

Packaging Height PL4 1200

Packaging Length PL1 55

Packaging Length PL2 800

Packaging Length PL4 1200

Packaging Quantity PL1 1

Packaging Quantity PL2 500

Packaging Quantity PL4 3000

Packaging Type PL1 Piece

Packaging Type PL2 Medium_Box

| | |
|----------------------|-------------|
| Packaging Type PL4 | Pallet |
| Packaging Volume PL1 | 0,000444125 |
| Packaging Volume PL2 | 0,192 |
| Packaging Volume PL4 | 1,44 |
| Packaging Weight PL1 | 0,046 |
| Packaging Weight PL2 | 23 |
| Packaging Weight PL4 | 163 |
| Packaging Width PL1 | 95 |
| Packaging Width PL2 | 600 |
| Packaging Width PL4 | 1000 |

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com