


GF HT-PP elbow 15° 50mm

1150130

- Gray, PP-material, according to EN 1451



Application information GF HT-PP elbow 15°

Specification

- The system is made from monolayer polypropylene (PP) to ensure reliable performance in standard drainage applications.
- It is designed for non-pressurized soil and wastewater drainage in residential and commercial buildings.
- The system is fully compliant with EN 1451-1 for plastic soil and waste discharge and EN 13501 for fire classification.
- It achieves fire performance rating E according to EN 13501.
- The pipes are suitable for short-term exposure to high-temperature wastewater.
- The material provides high resistance to chemicals commonly found in domestic and commercial wastewater.
- The push-fit socket design with integrated sealing rings ensures quick installation and leak-tight connections.
- The system is available in nominal diameters ranging from DN 32 to DN 200.

Application

- Residential buildings
- Office buildings and conference facilities
- Schools, libraries, hospitals, and hotels
- Underground and above-ground house drainage
- Sustainable / green building projects
- Industrial facilities (short- and long-term use)
- Wastewater from kitchens, bathrooms, and household appliances (e.g. washing machines, dishwashers)

GF HT-PP elbow 15° 50mm

1150130



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652041087
Item no GF	4901105002021
Item no GTIN	08698652041087
Item no VVS	186174050

Dimensions

Item Unit Height	130
Item Unit Length	77
Item Unit Weight	0,053
Item Unit Width	80
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900555005
Packaging GTIN PL2	06414900230940
Packaging GTIN PL4	06414900103749
Packaging Height PL1	130
Packaging Height PL2	400
Packaging Height PL4	1200
Packaging Length PL1	77
Packaging Length PL2	800
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	300
Packaging Quantity PL4	1800
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,0008008
Packaging Volume PL2	0,192
Packaging Volume PL4	1,152
Packaging Weight PL1	0,053
Packaging Weight PL2	15,9
Packaging Weight PL4	120,4
Packaging Width PL1	80
Packaging Width PL2	600
Packaging Width PL4	800

Measurements

Wall thickness_s	16
Z Measurement d	50
Z Measurement d1	50
Z Measurement d2	59,6
Z Measurement e	1,8
Z Measurement L1	49,4
z1	3,3
Z2	3,3

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

E
communications@georgfischer.
com