


GF HT-PP elbow 87,5° 160mm

1150148

- Gray, PP-material, according to EN 1451



Application information GF HT-PP elbow 87,5°

Specification

- The system is made from monolayer polypropylene (PP) to ensure reliable performance in standard drainage applications.
- It is designed for non-pressurized soil and wastewater drainage in residential and commercial buildings.
- The system is fully compliant with EN 1451-1 for plastic soil and waste discharge and EN 13501 for fire classification.
- It achieves fire performance rating E according to EN 13501.
- The pipes are suitable for short-term exposure to high-temperature wastewater.
- The material provides high resistance to chemicals commonly found in domestic and commercial wastewater.
- The push-fit socket design with integrated sealing rings ensures quick installation and leak-tight connections.
- The system is available in nominal diameters ranging from DN 32 to DN 200.

Application

- Residential buildings
- Office buildings and conference facilities
- Schools, libraries, hospitals, and hotels
- Underground and above-ground house drainage
- Sustainable / green building projects
- Industrial facilities (short- and long-term use)
- Wastewater from kitchens, bathrooms, and household appliances (e.g. washing machines, dishwashers)

GF HT-PP elbow 87,5° 160mm

1150148



Status

Item Available From date

2026-02-01

Product code

Item no EAN 8698652031927

Item no GF 4901116006121

Item no GTIN 08698652031927

Item no VVS 186114160

Dimensions

Item Unit Height 254

Item Unit Length 188

Item Unit Weight 1,005

Item Unit Width 265

Item_UOM pce

Packaging

Packaging GTIN PL1 06414900553865

Packaging GTIN PL2 06414900231121

Packaging GTIN PL4 06414900104364

Packaging Height PL1 254

Packaging Height PL2 400

Packaging Height PL4 1200

Packaging Length PL1 188

Packaging Length PL2 800

Packaging Length PL4 1200

Packaging Quantity PL1 1

Packaging Quantity PL2 15

Packaging Quantity PL4 90

Packaging Type PL1 Piece

Packaging Type PL2 Medium_Box

| | |
|----------------------|------------|
| Packaging Type PL4 | Pallet |
| Packaging Volume PL1 | 0,01265428 |
| Packaging Volume PL2 | 0,192 |
| Packaging Volume PL4 | 1,44 |
| Packaging Weight PL1 | 1,005 |
| Packaging Weight PL2 | 15,075 |
| Packaging Weight PL4 | 115,45 |
| Packaging Width PL1 | 265 |
| Packaging Width PL2 | 600 |
| Packaging Width PL4 | 1000 |

Measurements

| | |
|------------------|-------|
| Wall thickness_s | 16 |
| Z Measurement d | 160 |
| Z Measurement d1 | 160 |
| Z Measurement d2 | 175,2 |
| Z Measurement e | 4,9 |
| Z Measurement L1 | 81,2 |
| z1 | 75 |
| Z2 | 75 |

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com