


## GF HT-PP branch 87,5° 75-50mm

1150159

- Gray, PP-material, according to EN 1451



### Application information GF HT-PP branch 87,5°

#### Specification

- The system is made from monolayer polypropylene (PP) to ensure reliable performance in standard drainage applications.
- It is designed for non-pressurized soil and wastewater drainage in residential and commercial buildings.
- The system is fully compliant with EN 1451-1 for plastic soil and waste discharge and EN 13501 for fire classification.
- It achieves fire performance rating E according to EN 13501.
- The pipes are suitable for short-term exposure to high-temperature wastewater.
- The material provides high resistance to chemicals commonly found in domestic and commercial wastewater.
- The push-fit socket design with integrated sealing rings ensures quick installation and leak-tight connections.
- The system is available in nominal diameters ranging from DN 32 to DN 200.

#### Application

- Residential buildings
- Office buildings and conference facilities
- Schools, libraries, hospitals, and hotels
- Underground and above-ground house drainage
- Sustainable / green building projects
- Industrial facilities (short- and long-term use)
- Wastewater from kitchens, bathrooms, and household appliances (e.g. washing machines, dishwashers)

## GF HT-PP branch 87,5° 75-50mm

1150159



### Status

Item Available From date

2026-02-01

### Product code

Item no EAN 8698652050843

Item no GF 4901207508021

Item no GTIN 08698652050843

Item no VVS 186301073

### Dimensions

Item Unit Height 180

Item Unit Length 90

Item Unit Weight 0,218

Item Unit Width 135

Item\_UOM pce

### Measurements

Length (l2) 48,9

Wall thickness\_s 16

Z Measurement b1 5

Z Measurement d 75

Z Measurement d1 75

Z Measurement d2 84,6

Z Measurement d3 50,5

Z Measurement d3 50,5

Z Measurement d4 59,6

Z Measurement e 2,3

Z Measurement h 89,1

Z Measurement L1 57,9

z1 52,7

### Packaging

|                        |                |
|------------------------|----------------|
| Packaging GTIN PL1     | 06414900553438 |
| Packaging GTIN PL2     | 06414900231237 |
| Packaging GTIN PL4     | 06414900104586 |
| Packaging Height PL1   | 180            |
| Packaging Height PL2   | 400            |
| Packaging Height PL4   | 1200           |
| Packaging Length PL1   | 90             |
| Packaging Length PL2   | 800            |
| Packaging Length PL4   | 1200           |
| Packaging Quantity PL1 | 1              |
| Packaging Quantity PL2 | 100            |
| Packaging Quantity PL4 | 600            |
| Packaging Type PL1     | Piece          |
| Packaging Type PL2     | Medium_Box     |
| Packaging Type PL4     | Pallet         |
| Packaging Volume PL1   | 0,002187       |
| Packaging Volume PL2   | 0,192          |
| Packaging Volume PL4   | 1,44           |
| Packaging Weight PL1   | 0,218          |
| Packaging Weight PL2   | 21,8           |
| Packaging Weight PL4   | 155,8          |
| Packaging Width PL1    | 135            |
| Packaging Width PL2    | 600            |
| Packaging Width PL4    | 1000           |

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211  
E  
communications@georgfischer.  
com