


## GF HT-PP socket plug 40mm

1150205

- Gray, PP-material, according to EN 1451



### Application information GF HT-PP socket plug

#### Specification


- The system is made from monolayer polypropylene (PP) to ensure reliable performance in standard drainage applications.
- It is designed for non-pressurized soil and wastewater drainage in residential and commercial buildings.
- The system is fully compliant with EN 1451-1 for plastic soil and waste discharge and EN 13501 for fire classification.
- It achieves fire performance rating E according to EN 13501.
- The pipes are suitable for short-term exposure to high-temperature wastewater.
- The material provides high resistance to chemicals commonly found in domestic and commercial wastewater.
- The push-fit socket design with integrated sealing rings ensures quick installation and leak-tight connections.
- The system is available in nominal diameters ranging from DN 32 to DN 200.

#### Application

- Residential buildings
- Office buildings and conference facilities
- Schools, libraries, hospitals, and hotels
- Underground and above-ground house drainage
- Sustainable / green building projects
- Industrial facilities (short- and long-term use)
- Wastewater from kitchens, bathrooms, and household appliances (e.g. washing machines, dishwashers)

## GF HT-PP socket plug 40mm

1150205



### Status

Item Available From date

2026-02-01

### Product code

Item no EAN 8698652055350

Item no GF 4901904041721

Item no GTIN 08698652055350

Item no VVS 186523040

### Dimensions

Item Unit Height 45

Item Unit Length 48

Item Unit Weight 0,02206

Item Unit Width 48

Item\_UOM pce

### Packaging

Packaging GTIN PL1 06414900553537

Packaging GTIN PL2 06414900231695

Packaging GTIN PL4 06414900105552

Packaging Height PL1 45

Packaging Height PL2 400

Packaging Height PL4 1200

Packaging Length PL1 48

Packaging Length PL2 800

Packaging Length PL4 1200

Packaging Quantity PL1 1

Packaging Quantity PL2 1000

Packaging Quantity PL4 6000

Packaging Type PL1 Piece

Packaging Type PL2 Medium\_Box

|                      |            |
|----------------------|------------|
| Packaging Type PL4   | Pallet     |
| Packaging Volume PL1 | 0,00010368 |
| Packaging Volume PL2 | 0,192      |
| Packaging Volume PL4 | 1,44       |
| Packaging Weight PL1 | 0,02206    |
| Packaging Weight PL2 | 22,06      |
| Packaging Weight PL4 | 157,36     |
| Packaging Width PL1  | 48         |
| Packaging Width PL2  | 600        |
| Packaging Width PL4  | 1000       |

## Measurements

|                  |     |
|------------------|-----|
| Wall thickness_s | 16  |
| Z Measurement d  | 40  |
| Z Measurement d1 | 48  |
| Z Measurement e  | 1,8 |
| z1               | 2,2 |

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

E  
communications@georgfischer.  
com