

GF HT-PP pipe with double socket S20 50x1000mm

1150832

- Gray, monolayer, PP-material, according to EN 1451



Application information GF HT-PP pipe with double socket S20

Specification

- The system is made from monolayer polypropylene (PP) to ensure reliable performance in standard drainage applications.
- It is designed for non-pressurized soil and wastewater drainage in residential and commercial buildings.
- The system is fully compliant with EN 1451-1 for plastic soil and waste discharge and EN 13501 for fire classification.
- It achieves fire performance rating E according to EN 13501.
- The pipes are suitable for short-term exposure to high-temperature wastewater.
- The material provides high resistance to chemicals commonly found in domestic and commercial wastewater.
- The push-fit socket design with integrated sealing rings ensures quick installation and leak-tight connections.
- The system is available in nominal diameters ranging from DN 32 to DN 200.

Application

- Residential buildings
- Office buildings and conference facilities
- Schools, libraries, hospitals, and hotels
- Underground and above-ground house drainage
- Sustainable / green building projects
- Industrial facilities (short- and long-term use)
- Wastewater from kitchens, bathrooms, and household appliances (e.g. washing machines, dishwashers)

GF HT-PP pipe with double socket S20 50x1000mm

1150832



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652092010
Item no GF	4801005020421
Item no GTIN	08698652092010
Item no VVS	186072100

Dimensions

Item Unit Height	50
Item Unit Length	1000
Item Unit Weight	0,373
Item Unit Width	50
Item_UOM	pce

Measurements

Length (l2)	50
Z Measurement b1	5
Z Measurement b2	5
Z Measurement d	60
Z Measurement d1	50,5
Z Measurement d3	50,5
Z Measurement d3	50,5
Z Measurement d4	60
Z Measurement e	1,8
Z measurement m	46

Packaging

Packaging GTIN PL1	06414900552035
Packaging GTIN PL2	06414900233453
Packaging Height PL1	50

Packaging Height PL2	275
Packaging Length PL1	1000
Packaging Length PL2	1000
Packaging Quantity PL1	1
Packaging Quantity PL2	10
Packaging Type PL1	Piece
Packaging Type PL2	Bag
Packaging Volume PL1	0,0025
Packaging Volume PL2	0,033
Packaging Weight PL1	0,373
Packaging Weight PL2	3,73
Packaging Width PL1	50
Packaging Width PL2	120

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

E
communications@georgfischer.
com