

GF HT-PP pipe with double socket S20 110x500mm

1150844

- Gray, monolayer, PP-material, according to EN 1451



Application information GF HT-PP pipe with double socket S20

Specification

- The system is made from monolayer polypropylene (PP) to ensure reliable performance in standard drainage applications.
- It is designed for non-pressurized soil and wastewater drainage in residential and commercial buildings.
- The system is fully compliant with EN 1451-1 for plastic soil and waste discharge and EN 13501 for fire classification.
- It achieves fire performance rating E according to EN 13501.
- The pipes are suitable for short-term exposure to high-temperature wastewater.
- The material provides high resistance to chemicals commonly found in domestic and commercial wastewater.
- The push-fit socket design with integrated sealing rings ensures quick installation and leak-tight connections.
- The system is available in nominal diameters ranging from DN 32 to DN 200.

Application

- Residential buildings
- Office buildings and conference facilities
- Schools, libraries, hospitals, and hotels
- Underground and above-ground house drainage
- Sustainable / green building projects
- Industrial facilities (short- and long-term use)
- Wastewater from kitchens, bathrooms, and household appliances (e.g. washing machines, dishwashers)

GF HT-PP pipe with double socket S20 110x500mm

1150844



Status

Item Available From date 2026-02-01

Product code

| | |
|--------------|----------------|
| Item no EAN | 8698652039268 |
| Item no GF | 4801011020621 |
| Item no GTIN | 08698652039268 |
| Item no VVS | 186077050 |

Dimensions

| | |
|------------------|-------|
| Item Unit Height | 110 |
| Item Unit Length | 500 |
| Item Unit Weight | 0,715 |
| Item Unit Width | 110 |
| Item_UOM | pce |

Measurements

| | |
|------------------|-------|
| Length (l2) | 65 |
| Z Measurement b1 | 6 |
| Z Measurement b2 | 6 |
| Z Measurement d | 120,6 |
| Z Measurement d1 | 110,5 |
| Z Measurement d3 | 110,5 |
| Z Measurement d3 | 110,5 |
| Z Measurement d4 | 120,6 |
| Z Measurement e | 2,7 |
| Z measurement m | 58 |

Packaging

| | |
|--------------------|----------------|
| Packaging GTIN PL1 | 06414900553858 |
| Packaging GTIN PL2 | 06414900233545 |
| Packaging GTIN PL4 | 06414900249775 |

| | |
|------------------------|------------|
| Packaging Height PL1 | 110 |
| Packaging Height PL2 | 400 |
| Packaging Height PL4 | 1300 |
| Packaging Length PL1 | 500 |
| Packaging Length PL2 | 800 |
| Packaging Length PL4 | 1300 |
| Packaging Quantity PL1 | 1 |
| Packaging Quantity PL2 | 15 |
| Packaging Quantity PL4 | 90 |
| Packaging Type PL1 | Piece |
| Packaging Type PL2 | Medium_Box |
| Packaging Type PL4 | Pallet |
| Packaging Volume PL1 | 0,00605 |
| Packaging Volume PL2 | 0,192 |
| Packaging Volume PL4 | 1,859 |
| Packaging Weight PL1 | 0,715 |
| Packaging Weight PL2 | 10,725 |
| Packaging Weight PL4 | 89,35 |
| Packaging Width PL1 | 110 |
| Packaging Width PL2 | 600 |
| Packaging Width PL4 | 1100 |

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com