

GF HT-PP pipe with double socket S20 125x3000mm

1150854

- Gray, monolayer, PP-material, according to EN 1451



Application information GF HT-PP pipe with double socket S20

Specification

- The system is made from monolayer polypropylene (PP) to ensure reliable performance in standard drainage applications.
- It is designed for non-pressurized soil and wastewater drainage in residential and commercial buildings.
- The system is fully compliant with EN 1451-1 for plastic soil and waste discharge and EN 13501 for fire classification.
- It achieves fire performance rating E according to EN 13501.
- The pipes are suitable for short-term exposure to high-temperature wastewater.
- The material provides high resistance to chemicals commonly found in domestic and commercial wastewater.
- The push-fit socket design with integrated sealing rings ensures quick installation and leak-tight connections.
- The system is available in nominal diameters ranging from DN 32 to DN 200.

Application

- Residential buildings
- Office buildings and conference facilities
- Schools, libraries, hospitals, and hotels
- Underground and above-ground house drainage
- Sustainable / green building projects
- Industrial facilities (short- and long-term use)
- Wastewater from kitchens, bathrooms, and household appliances (e.g. washing machines, dishwashers)

GF HT-PP pipe with double socket S20 125x3000mm

1150854



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652039350
Item no GF	4801012521321
Item no GTIN	08698652039350
Item no VVS	186078300

Dimensions

Item Unit Height	125
Item Unit Length	3000
Item Unit Weight	4,307
Item Unit Width	125
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900600354
Packaging GTIN PL2	06414900233590
Packaging Height PL1	125
Packaging Height PL2	275
Packaging Length PL1	3000
Packaging Length PL2	3000
Packaging Quantity PL1	1
Packaging Quantity PL2	4
Packaging Type PL1	Piece
Packaging Type PL2	Bag
Packaging Volume PL1	0,046875
Packaging Volume PL2	0,226875
Packaging Weight PL1	4,307
Packaging Weight PL2	17,228

Packaging Width PL1	125
Packaging Width PL2	275

Measurements

Z measurement m	64
-----------------	----

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com