
Product data sheet




GF JRG union with female thread DN15

1155689

- Made of gunmetal (lead-free)
- to 3400, 3410, 5120
- Connection: female thread
- Supplied with: flat gasket AFM34





Application information GF JRG union with female thread

Specification


- Wide product range
- Gunmetal body


Application

Potable water installations

GF JRG union with female thread DN15

1155689





Product code

Item no EAN	7613263019578
Item no GF	350217101
Item no GTIN	07613263019578
Item no RSK	4893412
Item no VVS	723481904

Dimensions

Item Unit Height	30.5
Item Unit Length	45
Item Unit Weight	0,15
Item Unit Width	41
Item_UOM	pce

Measurements

Length (l1)	8
Length (l2)	23
Z Measurement d	15
Z	10

Packaging

Packaging GTIN PL1	06414900114974
Packaging Height PL1	60
Packaging Length PL1	120
Packaging Material (number) PL1	04
Packaging Material PL1	plastic film / film plastico
Packaging Material (short) PL1	PELD
Packaging Quantity PL1	1
Packaging Type PL1	Pouch

Packaging Volume PL1	0,000648
Packaging Weight PL1	0,153
Packaging Width PL1	90

Technical data

Recycling Text Block PL1	plastic film / film plastico

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+