
Product data sheet




GF JRG union with female thread DN32

1155702

- Made of gunmetal (lead-free)
- to 3400, 3410, 5120
- Connection: female thread
- Supplied with: flat gasket AFM34





Application information GF JRG union with female thread

Specification


- Wide product range
- Gunmetal body


Application

Potable water installations

GF JRG union with female thread DN32

1155702





Product code

Item no EAN	7613263019288
Item no GF	350253501
Item no GTIN	07613263019288
Item no RSK	4893416
Item no VVS	723481910

Dimensions

Item Unit Height	66
Item Unit Length	39
Item Unit Weight	0,38
Item Unit Width	73
Item_UOM	pce

Measurements

Length (l1)	10
Length (l2)	29
Z Measurement d	32
Z	10

Packaging

Packaging GTIN PL1	06414900455541
Packaging GTIN PL2	06414900455558
Packaging Height PL1	66
Packaging Height PL2	120
Packaging Length PL1	39
Packaging Length PL2	180
Packaging Quantity PL1	1
Packaging Quantity PL2	5

Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Volume PL1	0,000187902
Packaging Volume PL2	0,002808
Packaging Weight PL1	0,385
Packaging Weight PL2	1,965
Packaging Width PL1	73
Packaging Width PL2	130

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+