
Product data sheet



GF JRG union with male thread DN15

1155724

- Made of DR brass (lead-free)
- to 1300-1333, 1350-1363, 2100-2110, 2113, 2130-2140, 2143, 8201.402,
- 9601.040, 9606.040, 9695.480, 6214-6215
- Connection: male thread
- Supplied with: flat gasket AFM34



Application information GF JRG union with male thread

Specification


- Wide product range
- Gunmetal body

Application

Potable water installations

GF JRG union with male thread DN15

1155724



Product code

Item no EAN	7613263018212
Item no GF	350331701
Item no GTIN	07613263018212
Item no RSK	4893387

Dimensions

Item Unit Height	30
Item Unit Length	31
Item Unit Weight	0,06
Item Unit Width	34
Item_UOM	pce

Measurements

Length (l1)	25
Length (l2)	6
Z Measurement d	15
Z	12

Packaging

Packaging GTIN PL1	06414900455565
Packaging GTIN PL2	06414900455572
Packaging Height PL1	30
Packaging Height PL2	107
Packaging Length PL1	35
Packaging Length PL2	143
Packaging Quantity PL1	1
Packaging Quantity PL2	10
Packaging Type PL1	Plastic_Bag

Packaging Type PL2	Medium_Box
Packaging Volume PL1	0,00003675
Packaging Volume PL2	0,001943227
Packaging Weight PL1	0,07
Packaging Weight PL2	0,8
Packaging Width PL1	35
Packaging Width PL2	127

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+