


GF JRG union with non-return valve DN20

1156075

- Description: to 6320, 6325, with flat gasket
- Temperature: max. 90°C
- Nominal pressure: PN10
- Material: brass lead-free, plastic
- Connection: male thread



Application information GF JRG union with non-return valve

Specification


- Wide product range
- Gunmetal body

Application

Potable water installations

GF JRG union with non-return valve DN20

1156075



Product code

Item no EAN	7613263098382
Item no GF	351056066
Item no GTIN	07613263098382

Dimensions

Item Unit Height	41
Item Unit Length	43
Item Unit Weight	0,11
Item Unit Width	41
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900174152
Packaging Height PL1	60
Packaging Length PL1	120
Packaging Material (number) PL1	04
Packaging Material PL1	plastic film / film plastico
Packaging Material (short) PL1	PELD
Packaging Quantity PL1	1
Packaging Type PL1	Pouch
Packaging Volume PL1	0,000648
Packaging Weight PL1	0,113
Packaging Width PL1	90

Technical data

Recycling Text Block PL1	plastic film / film plastico
--------------------------	------------------------------

Measurements

Z Measurement d1	3/4
------------------	-----

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com