
Product data sheet



GF JRG sampling valve DN8

1156141

- Made of gunmetal (lead-free)
- for microbiological water analysis
- Temperature: max. 90°C
- Nominal pressure: PN16
- stainless steel, EPDM
- Connection: male thread



Application information GF JRG sampling valve

Specification


- Wide product range
- Gunmetal body

Application

Potable water installations

GF JRG sampling valve DN8

1156141



Product code

Item no EAN	7613263036209
Item no GF	351110365
Item no GTIN	07613263036209
Item no RSK	4405584

Dimensions

Item Unit Height	72
Item Unit Length	140
Item Unit Weight	0,19
Item Unit Width	30
Item_UOM	pce

Measurements

LENGTH_L	35
Length (l1)	16
Length (l2)	125
Z Measurement d1	1/4
Z Measurement d3	8
Z Measurement d3	8
Z Measurement h	65

Packaging

Packaging GTIN PL1	06414900174602
Packaging Height PL1	80
Packaging Length PL1	180
Packaging Material (number) PL1	04
Packaging Material PL1	plastic film / film plastico
Packaging Material (short) PL1	PELD

Packaging Quantity PL1	1
Packaging Type PL1	Pouch
Packaging Volume PL1	0,001872
Packaging Weight PL1	0,197
Packaging Width PL1	130

Technical data

Recycling Text Block PL1	plastic film / film plastico

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+