

GF JRG Sanipex MT reduction 10bar 32-26 10bar

1158386

Description: for JRG Sanipex, JRG Sanipex MT Pipes

Material: PPSU, PA

Connection: cone grip union



Application information GF JRG Sanipex MT reduction 10bar

Specification

- The JRG Sanipex MT system is characterised by its high corrosion resistance. The design
- of the pipe connection is free of dead spaces and, in addition to multiple safety features,
- the system offers full flow capacity without cross-sectional constriction. JRG Sanipex MT
- treated connections are detachable and reusable.

Application

- Application area Cold and hot water, HVAC, compressed air, greywater
- Installation Surface and flush-mounted installations throughout the building

Certification

- 4,1

GF JRG Sanipex MT reduction 10bar 32-26 10bar

1158386



Measurements

Inner_diameter_di	32
Length (l1)	92,0
Z Measurement d	26
Z Measurement d1	32
z1	50

Product code

Item no EAN	7613263028631
Item no GF	351632927
Item no GTIN	07613263028631
Item no LVI	1749117
Item no RSK	1874091

Dimensions

Item Unit Height	50
Item Unit Length	100
Item Unit Weight	0,095
Item Unit Width	50
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900065993
Packaging Height PL1	52
Packaging Length PL1	100
Packaging Quantity PL1	1
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,0002704
Packaging Weight PL1	0,105
Packaging Width PL1	52

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com