
Product data sheet



GF Uponor Ecoflex VIP Thermo Pipe Twin 2X40X3,7/140

1160612

- Heating and Cooling
- Two medium pipes PE-Xa wih oxygen barrier, SDR11
- Max. Load 6 bar / 95°C
- Coloured centre profil to avoid confusion of flow and return line
- VIP+PEX foam, HDPE casing



Application information GF Uponor Ecoflex VIP Thermo Pipe Twin

Specification

- Flexible, pre-insulated, self-compensating plastic pipe system produced based on EN 15632 and EN 17414.
- Medium pipe: cross-linked polyethylene (PE-Xa) pipe based on EN ISO 15875, natural colored, PN 6 (SDR 11), Oxygen tightness based on EN 15632
- Insulating material: Revolutionary insulation material with extremely low lambda value in combination with permanently elastic closed-cell PE-X foam
- Casing pipe: Corrugated polyethylene (HDPE)

Application


- Transport of heating and cooling water for buried installations.
- Heating operating temperature 80°C based on EN 15632
- Malfunction temperature 95°C
- Static verification for heavy traffic load of 60 tons

Certification

- Approvals should be checked by local responsible person

GF Uponor Ecoflex VIP Thermo Pipe Twin 2X40X3,7/140

1160612



Measurements

Bending radius M	0,8
Outer Diameter_do	140
Outer Diameter_do1	40
Outer Diameter_do2	40
Wall thickness_s1	3,7
Wall thickness_s2	3,7

Status

Item Available From date	2026-06-01

Product code

Item no EAN	6414900506397
Item no GF	35001160612
Item no GTIN	06414900506397
Item no LVI	3010177
Item no NRF	1475898
Item no RSK	2523138

Dimensions

Item Unit Height	140
Item Unit Length	1000
Item Unit Weight	2,28
Item Unit Width	140
Item_UOM	m

Packaging

Packaging GTIN PL1	06414900448628
Packaging Height PL1	2200
Packaging Length PL1	2200

Packaging Quantity PL1	200
Packaging Type PL1	Coil
Packaging Volume PL1	6,05
Packaging Weight PL1	458
Packaging Width PL1	1250

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+