


## GF Silenta premium pipe with single socket 58x150mm

**1160785**

- Light gray, three-layer, PP-material with inorganic filler, according to EN 1451



### Application information GF Silenta premium pipe with single socket

#### Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

#### Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

## GF Silenta premium pipe with single socket 58x150mm

1160785



### Status

Item Available From date

2026-02-01

### Product code

Item no EAN	8698652132754
Item no GF	4401005801021
Item no GTIN	08698652132754
Item no VVS	186811015

### Dimensions

Item Unit Height	58
Item Unit Length	150
Item Unit Weight	0,37
Item Unit Width	58
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900600675
Packaging GTIN PL2	06414900285674
Packaging GTIN PL3	06414900507585
Packaging GTIN PL4	06414900213318
Packaging Height PL1	58
Packaging Height PL2	58
Packaging Height PL3	390
Packaging Height PL4	1200
Packaging Length PL1	150
Packaging Length PL2	600
Packaging Length PL3	390
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	4

Packaging Quantity PL3	28
Packaging Quantity PL4	672
Packaging Type PL1	Piece
Packaging Type PL2	Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0005046
Packaging Volume PL2	0,002088
Packaging Volume PL3	0,089739
Packaging Volume PL4	1,44
Packaging Weight PL1	0,37
Packaging Weight PL2	1,49
Packaging Weight PL3	10,53
Packaging Weight PL4	273,64
Packaging Width PL1	58
Packaging Width PL2	60
Packaging Width PL3	590
Packaging Width PL4	1000

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)