


## GF HT-PP white elbow 30° 50mm

1184636

- White, PP-material, according to EN 1451



### Application information GF HT-PP white elbow 30°

#### Specification

- The system is made from monolayer polypropylene (PP) to ensure reliable performance in standard drainage applications.
- It is designed for non-pressurized soil and wastewater drainage in residential and commercial buildings.
- The system is fully compliant with EN 1451-1 for plastic soil and waste discharge and EN 13501 for fire classification.
- It achieves fire performance rating E according to EN 13501.
- The pipes are suitable for short-term exposure to high-temperature wastewater.
- The material provides high resistance to chemicals commonly found in domestic and commercial wastewater.
- The push-fit socket design with integrated sealing rings ensures quick installation and leak-tight connections.
- The system is available in nominal diameters ranging from DN 32 to DN 200.

#### Application

- Residential buildings
- Office buildings and conference facilities
- Schools, libraries, hospitals, and hotels
- Underground and above-ground house drainage
- Sustainable / green building projects
- Industrial facilities (short- and long-term use)
- Wastewater from kitchens, bathrooms, and household appliances (e.g. washing machines, dishwashers)

## GF HT-PP white elbow 30° 50mm

1184636



### Status

Item Available From date 2026-02-01

### Product code

|              |                |
|--------------|----------------|
| Item no EAN  | 6414900085069  |
| Item no GF   | 4900105000221  |
| Item no GTIN | 06414900085069 |
| Item no VVS  | 186164350      |

### Dimensions

|                  |       |
|------------------|-------|
| Item Unit Height | 136   |
| Item Unit Length | 77    |
| Item Unit Weight | 0,055 |
| Item Unit Width  | 92    |
| Item_UOM         | pce   |

### Measurements

|                     |       |
|---------------------|-------|
| Outer Diameter_do   | 25    |
| Z Measurement ALPHA | 30    |
| Z Measurement d     | 50    |
| Z Measurement d1    | 25,25 |
| Z Measurement d2    | 29,95 |
| Z Measurement e     | 2     |
| Z Measurement f     | 8     |
| Z Measurement L1    | 50    |
| Z measurement m     | 47,2  |
| z1                  | 6,7   |
| Z2                  | 8,9   |

### Packaging

|                      |                |
|----------------------|----------------|
| Packaging GTIN PL1   | 06414900085649 |
| Packaging Height PL1 | 400            |

|                        |          |
|------------------------|----------|
| Packaging Length PL1   | 800      |
| Packaging Quantity PL1 | 300      |
| Packaging Type PL1     | Base_Box |
| Packaging Volume PL1   | 0,192    |
| Packaging Weight PL1   | 18,06    |
| Packaging Width PL1    | 600      |

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211  
E  
communications@georgfischer.  
com