


GF HT-PP white elbow 45deg 40mm

1184638

- White, PP-material, according to EN 1451



Application information GF HT-PP white elbow 45deg

Specification

- The system is made from monolayer polypropylene (PP) to ensure reliable performance in standard drainage applications.
- It is designed for non-pressurized soil and wastewater drainage in residential and commercial buildings.
- The system is fully compliant with EN 1451-1 for plastic soil and waste discharge and EN 13501 for fire classification.
- It achieves fire performance rating E according to EN 13501.
- The pipes are suitable for short-term exposure to high-temperature wastewater.
- The material provides high resistance to chemicals commonly found in domestic and commercial wastewater.
- The push-fit socket design with integrated sealing rings ensures quick installation and leak-tight connections.
- The system is available in nominal diameters ranging from DN 32 to DN 200.

Application

- Residential buildings
- Office buildings and conference facilities
- Schools, libraries, hospitals, and hotels
- Underground and above-ground house drainage
- Sustainable / green building projects
- Industrial facilities (short- and long-term use)
- Wastewater from kitchens, bathrooms, and household appliances (e.g. washing machines, dishwashers)

GF HT-PP white elbow 45deg 40mm

1184638



Status

Item Available From date 2026-02-01

Product code

| | |
|--------------|----------------|
| Item no EAN | 6414900085083 |
| Item no GF | 4900104000321 |
| Item no GTIN | 06414900085083 |
| Item no VVS | 186154340 |

Dimensions

| | |
|------------------|-------|
| Item Unit Height | 85 |
| Item Unit Length | 55 |
| Item Unit Weight | 0,046 |
| Item Unit Width | 95 |
| Item_UOM | pce |

Measurements

| | |
|---------------------|------|
| Outer Diameter_do | 20 |
| Z Measurement ALPHA | 45 |
| Z Measurement d | 40 |
| Z Measurement d1 | 20,2 |
| Z Measurement d2 | 24,8 |
| Z Measurement e | 1,8 |
| Z Measurement f | 9,87 |
| Z Measurement L1 | 45 |
| Z measurement m | 50,2 |
| z1 | 8,3 |
| Z2 | 11 |

Packaging

| | |
|----------------------|----------------|
| Packaging GTIN PL1 | 06414900085663 |
| Packaging Height PL1 | 400 |

| | |
|------------------------|----------|
| Packaging Length PL1 | 800 |
| Packaging Quantity PL1 | 500 |
| Packaging Type PL1 | Base_Box |
| Packaging Volume PL1 | 0,192 |
| Packaging Weight PL1 | 24,56 |
| Packaging Width PL1 | 600 |

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com