


GF HT-PP white elbow 45° 40mm

1184638

- White, PP-material, according to EN 1451



Application information GF HT-PP white elbow 45°

Specification

- The system is made from monolayer polypropylene (PP) to ensure reliable performance in standard drainage applications.
- It is designed for non-pressurized soil and wastewater drainage in residential and commercial buildings.
- The system is fully compliant with EN 1451-1 for plastic soil and waste discharge and EN 13501 for fire classification.
- It achieves fire performance rating E according to EN 13501.
- The pipes are suitable for short-term exposure to high-temperature wastewater.
- The material provides high resistance to chemicals commonly found in domestic and commercial wastewater.
- The push-fit socket design with integrated sealing rings ensures quick installation and leak-tight connections.
- The system is available in nominal diameters ranging from DN 32 to DN 200.

Application

- Residential buildings
- Office buildings and conference facilities
- Schools, libraries, hospitals, and hotels
- Underground and above-ground house drainage
- Sustainable / green building projects
- Industrial facilities (short- and long-term use)
- Wastewater from kitchens, bathrooms, and household appliances (e.g. washing machines, dishwashers)

GF HT-PP white elbow 45° 40mm

1184638



Status

Item Available From date 2026-02-01

Product code

Item no EAN 6414900085083

Item no GF 4900104000321

Item no GTIN 06414900085083

Item no VVS 186154340

Dimensions

Item Unit Height 85

Item Unit Length 55

Item Unit Weight 0,046

Item Unit Width 95

Item_UOM pce

Measurements

Outer Diameter_do 20

Z Measurement ALPHA 45

Z Measurement d 40

Z Measurement d1 20,2

Z Measurement d2 24,8

Z Measurement e 1,8

Z Measurement f 9,87

Z Measurement L1 45

Z measurement m 50,2

z1 8,3

Z2 11

Packaging

Packaging GTIN PL1 06414900085663

Packaging Height PL1 400

Packaging Length PL1	800
Packaging Quantity PL1	500
Packaging Type PL1	Base_Box
Packaging Volume PL1	0,192
Packaging Weight PL1	24,56
Packaging Width PL1	600

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com