


GF HT-PP white elbow 87,5° 50mm

1184642

- White, PP-material, according to EN 1451



Application information GF HT-PP white elbow 87,5°

Specification

- The system is made from monolayer polypropylene (PP) to ensure reliable performance in standard drainage applications.
- It is designed for non-pressurized soil and wastewater drainage in residential and commercial buildings.
- The system is fully compliant with EN 1451-1 for plastic soil and waste discharge and EN 13501 for fire classification.
- It achieves fire performance rating E according to EN 13501.
- The pipes are suitable for short-term exposure to high-temperature wastewater.
- The material provides high resistance to chemicals commonly found in domestic and commercial wastewater.
- The push-fit socket design with integrated sealing rings ensures quick installation and leak-tight connections.
- The system is available in nominal diameters ranging from DN 32 to DN 200.

Application

- Residential buildings
- Office buildings and conference facilities
- Schools, libraries, hospitals, and hotels
- Underground and above-ground house drainage
- Sustainable / green building projects
- Industrial facilities (short- and long-term use)
- Wastewater from kitchens, bathrooms, and household appliances (e.g. washing machines, dishwashers)

GF HT-PP white elbow 87,5° 50mm

1184642



Status

Item Available From date 2026-02-01

Product code

Item no EAN 6414900085120

Item no GF 4900105000421

Item no GTIN 06414900085120

Item no VVS 186114350

Dimensions

Item Unit Height 125

Item Unit Length 77

Item Unit Weight 0,073

Item Unit Width 120

Item_UOM pce

Measurements

Length (l1) 50

Z Measurement ALPHA 87,5

Z Measurement d 50

Z measurement m 49,4

z1 23,9

Z2 23,9

Packaging

Packaging GTIN PL1 06414900085700

Packaging Height PL1 400

Packaging Length PL1 800

Packaging Quantity PL1 300

Packaging Type PL1 Base_Box

Packaging Volume PL1 0,192

Packaging Weight PL1 23,46

Packaging Width PL1

600

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com