

GF Silenta 3A pipe with single socket 90x150mm

1185505

- Light blue, three-layer, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A pipe with single socket

Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A pipe with single socket 90x150mm

1185505



Status

Item Available From date 2026-02-01

Product code

Item no EAN 6414900269421

Item no GF 4704009005021

Item no GTIN 06414900269421

Item no RSK 2749193

Dimensions

Item Unit Height 106

Item Unit Length 210

Item Unit Weight 0,38

Item Unit Width 106

Item_UOM pce

Packaging

Packaging GTIN PL1 06414900552585

Packaging GTIN PL2 06414900653558

Packaging Height PL1 106

Packaging Height PL2 360

Packaging Length PL1 210

Packaging Length PL2 590

Packaging Quantity PL1 1

Packaging Quantity PL2 28

Packaging Type PL1 Piece

Packaging Type PL2 Medium_Box

Packaging Volume PL1 0,00235956

Packaging Volume PL2 0,082836

Packaging Weight PL1 0,38

Packaging Weight PL2 11,9812

Packaging Width PL1	106
Packaging Width PL2	390

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com