

GF Silenta 3A pipe with single socket 90x2000mm

1185509

- Light blue, three-layer, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A pipe with single socket

Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A pipe with single socket 90x2000mm

1185509

Status

Item Available From date 2026-02-01

Product code

Item no EAN 6414900269469

Item no GF 4604009005421

Item no GTIN 06414900269469

Item no RSK 2749197

Dimensions

Item Unit Height 106

Item Unit Length 2060

Item Unit Weight 1,495

Item Unit Width 106

Item_UOM pce

Measurements

Length (l1) 60

Z Measurement d 90

Z Measurement d1 90,5

Z Measurement e 2,8

Packaging

Packaging GTIN PL1 06414900552974

Packaging GTIN PL4 06414900653565

Packaging Height PL1 106

Packaging Height PL4 574

Packaging Length PL1 2060

Packaging Length PL4 1160

Packaging Quantity PL1 1

Packaging Quantity PL4 60

Packaging Type PL1 Piece

Packaging Type PL4	Wooden_Cage
Packaging Volume PL1	0,02314616
Packaging Volume PL4	1,4182392
Packaging Weight PL1	1,495
Packaging Weight PL4	108,8934
Packaging Width PL1	106
Packaging Width PL4	2130

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com