

GF Silenta 3A pipe with single socket 90x3000mm

1185510

- Light blue, three-layer, PP-material with inorganic filler, according to EN 1451

Application information GF Silenta 3A pipe with single socket

Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A pipe with single socket 90x3000mm

1185510

Status

Item Available From date 2026-02-01

Product code

Item no EAN 6414900269476

Item no GF 4604009005521

Item no GTIN 06414900269476

Item no RSK 2749198

Dimensions

Item Unit Height 106

Item Unit Length 3060

Item Unit Weight 2,202

Item Unit Width 106

Item_UOM pce

Packaging

Packaging GTIN PL1 06414900552981

Packaging GTIN PL4 06414900559201

Packaging Height PL1 106

Packaging Height PL4 600

Packaging Length PL1 3060

Packaging Length PL4 1180

Packaging Quantity PL1 1

Packaging Quantity PL4 60

Packaging Type PL1 Piece

Packaging Type PL4 Wooden_Cage

Packaging Volume PL1 0,03438216

Packaging Volume PL4 2,21604

Packaging Weight PL1 2,202

Packaging Weight PL4 159,6788

Packaging Width PL1	106
Packaging Width PL4	3130

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com