


## GF Silenta 3A branch radius 87,5deg 90-50mm

1185514

- Light blue, PP-material with inorganic filler, according to EN 1451



### Application information GF Silenta 3A branch radius 87,5deg

#### Specification


- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

#### Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

## GF Silenta 3A branch radius 87,5deg 90-50mm

1185514



### Status

Item Available From date

2026-02-01

### Product code

Item no EAN	6414900269513
Item no GF	4704209001321
Item no GTIN	06414900269513
Item no RSK	2832066

### Dimensions

Item Unit Height	170
Item Unit Length	180
Item Unit Weight	0,246
Item Unit Width	107
Item_UOM	pce

### Measurements

Length (l2)	48,5
Z Measurement ALPHA	87,5
Z Measurement d	90
Z Measurement d1	90,6
Z Measurement d2	63,7
Z Measurement e	2,8
Z Measurement L1	55

### Packaging

Packaging GTIN PL1	06414900601276
Packaging GTIN PL2	06414900653503
Packaging Height PL1	170
Packaging Height PL2	360
Packaging Length PL1	180
Packaging Length PL2	590

Packaging Quantity PL1	1
Packaging Quantity PL2	8
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box
Packaging Volume PL1	0,0032742
Packaging Volume PL2	0,082836
Packaging Weight PL1	0,246
Packaging Weight PL2	3,3092
Packaging Width PL1	107
Packaging Width PL2	390

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)