


## GF Silenta 3A branch radius 87,5deg 90-90mm

**1185516**

- Light blue, PP-material with inorganic filler, according to EN 1451



### Application information GF Silenta 3A branch radius 87,5deg

#### Specification


- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

#### Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

## GF Silenta 3A branch radius 87,5deg 90-90mm

1185516



### Status

Item Available From date

2026-02-01

### Product code

Item no EAN 6414900269537

Item no GF 4704209000521

Item no GTIN 06414900269537

Item no RSK 2832080

### Dimensions

Item Unit Height 185

Item Unit Length 222

Item Unit Weight 0,358

Item Unit Width 107

Item\_UOM pce

### Measurements

Length (l2) 55

Z Measurement ALPHA 87,5

Z Measurement d 90

Z Measurement d1 90,3

Z Measurement d2 90,3

Z Measurement e 2,8

Z Measurement L1 55

### Packaging

Packaging GTIN PL1 06414900552301

Packaging GTIN PL2 06414900653183

Packaging Height PL1 185

Packaging Height PL2 360

Packaging Length PL1 222

Packaging Length PL2 590

Packaging Quantity PL1	1
Packaging Quantity PL2	16
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box
Packaging Volume PL1	0,00439449
Packaging Volume PL2	0,082836
Packaging Weight PL1	0,358
Packaging Weight PL2	7,0692
Packaging Width PL1	107
Packaging Width PL2	390

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)