


GF HT-PP double branch radius 87,5deg 110-110mm

1185521

- Gray, PP-material, according to EN 1451



Application information GF HT-PP double branch radius 87,5deg

Specification


- The system is made from monolayer polypropylene (PP) to ensure reliable performance in standard drainage applications.
- It is designed for non-pressurized soil and wastewater drainage in residential and commercial buildings.
- The system is fully compliant with EN 1451-1 for plastic soil and waste discharge and EN 13501 for fire classification.
- It achieves fire performance rating E according to EN 13501.
- The pipes are suitable for short-term exposure to high-temperature wastewater.
- The material provides high resistance to chemicals commonly found in domestic and commercial wastewater.
- The push-fit socket design with integrated sealing rings ensures quick installation and leak-tight connections.
- The system is available in nominal diameters ranging from DN 32 to DN 200.

Application

- Residential buildings
- Office buildings and conference facilities
- Schools, libraries, hospitals, and hotels
- Underground and above-ground house drainage
- Sustainable / green building projects
- Industrial facilities (short- and long-term use)
- Wastewater from kitchens, bathrooms, and household appliances (e.g. washing machines, dishwashers)

GF HT-PP double branch radius 87,5deg 110-110mm

1185521



Status

Item Available From date

2026-02-01

Product code

Item no EAN

6414900269582

Item no GF

4901211031221

Item no GTIN

06414900269582

Dimensions

Item Unit Height

292

Item Unit Length

256

Item Unit Weight

0,514

Item Unit Width

128

Item_UOM

pce

Packaging

Packaging GTIN PL1

06414900600378

Packaging GTIN PL2

06414900653237

Packaging Height PL1

292

Packaging Height PL2

360

Packaging Length PL1

256

Packaging Length PL2

390

Packaging Quantity PL1

1

Packaging Quantity PL2

4

Packaging Type PL1

Piece

Packaging Type PL2

Medium_Box

Packaging Volume PL1

0,009568256

Packaging Volume PL2

0,040716

Packaging Weight PL1

0,514

Packaging Weight PL2

3,3972

Packaging Width PL1

128

Packaging Width PL2

290

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com