

## GF Silenta 3A reducer eccentric 90-50mm

1185522

- Light blue, PP-material with inorganic filler, according to EN 1451



### Application information GF Silenta 3A reducer eccentric

#### Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

#### Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

## GF Silenta 3A reducer eccentric 90-50mm

1185522

**Status**

Item Available From date 2026-02-01

**Product code**

Item no EAN 6414900269599

Item no GF 4704409000121

Item no GTIN 06414900269599

Item no RSK 2832179

**Dimensions**

Item Unit Height 97

Item Unit Length 121

Item Unit Weight 0,131

Item Unit Width 97

Item\_UOM pce

**Measurements**

Length (l1) 41,3

Z Measurement d 90

Z Measurement d1 50,5

Z Measurement e 3,1

**Packaging**

Packaging GTIN PL1 06414900552660

Packaging GTIN PL2 06414900653244

Packaging Height PL1 97

Packaging Height PL2 360

Packaging Length PL1 121

Packaging Length PL2 390

Packaging Quantity PL1 1

Packaging Quantity PL2 32

Packaging Type PL1 Piece

Packaging Type PL2	Medium_Box
Packaging Volume PL1	0,001138489
Packaging Volume PL2	0,040716
Packaging Weight PL1	0,131
Packaging Weight PL2	5,5332
Packaging Width PL1	97
Packaging Width PL2	290

## Documents

Page with all documents 

### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211  
E  
communications@georgfischer.  
com