

GF Silenta 3A reducer eccentric 90-50mm

1185522

- Light blue, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A reducer eccentric

Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A reducer eccentric 90-50mm

1185522



Status

Item Available From date 2026-02-01

Product code

Item no EAN 6414900269599

Item no GF 4704409000121

Item no GTIN 06414900269599

Item no RSK 2832179

Dimensions

Item Unit Height 97

Item Unit Length 121

Item Unit Weight 0,131

Item Unit Width 97

Item_UOM pce

Packaging

Packaging GTIN PL1 06414900552660

Packaging GTIN PL2 06414900653244

Packaging Height PL1 97

Packaging Height PL2 360

Packaging Length PL1 121

Packaging Length PL2 390

Packaging Quantity PL1 1

Packaging Quantity PL2 32

Packaging Type PL1 Piece

Packaging Type PL2 Medium_Box

Packaging Volume PL1 0,001138489

Packaging Volume PL2 0,040716

Packaging Weight PL1 0,131

Packaging Weight PL2 5,5332

Packaging Width PL1	97
Packaging Width PL2	290

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com