

## GF Silenta 3A elbow 15deg 90mm

1185525

- Light blue, PP-material with inorganic filler, according to EN 1451



### Application information GF Silenta 3A elbow 15deg

#### Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

#### Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

## GF Silenta 3A elbow 15deg 90mm

1185525



### Status

Item Available From date 2026-02-01

### Product code

Item no EAN 6414900269629

Item no GF 4704109030021

Item no GTIN 06414900269629

Item no RSK 2832115

### Dimensions

Item Unit Height 106

Item Unit Length 143

Item Unit Weight 0,169

Item Unit Width 107

Item\_UOM pce

### Packaging

Packaging GTIN PL1 06414900552707

Packaging GTIN PL2 06414900653275

Packaging Height PL1 106

Packaging Height PL2 360

Packaging Length PL1 143

Packaging Length PL2 590

Packaging Quantity PL1 1

Packaging Quantity PL2 39

Packaging Type PL1 Piece

Packaging Type PL2 Medium\_Box

Packaging Volume PL1 0,001621906

Packaging Volume PL2 0,082836

Packaging Weight PL1 0,169

Packaging Weight PL2 7,9322

Packaging Width PL1	107
Packaging Width PL2	390

## Documents

Page with all documents 

### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)