

## GF Silenta 3A elbow 15° 90mm

1185525

- Light blue, PP-material with inorganic filler, according to EN 1451



### Application information GF Silenta 3A elbow 15°

#### Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

#### Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

## GF Silenta 3A elbow 15° 90mm

1185525

**Status**

Item Available From date 2026-02-01

**Product code**

Item no EAN	6414900269629
Item no GF	4704109030021
Item no GTIN	06414900269629
Item no RSK	2832115

**Dimensions**

Item Unit Height	106
Item Unit Length	143
Item Unit Weight	0,169
Item Unit Width	107
Item_UOM	pce

**Measurements**

Length (l1)	48,9
Z Measurement d	90
Z Measurement d1	90,5
Z Measurement e	2,8

**Packaging**

Packaging GTIN PL1	06414900552707
Packaging GTIN PL2	06414900653275
Packaging Height PL1	106
Packaging Height PL2	360
Packaging Length PL1	143
Packaging Length PL2	590
Packaging Quantity PL1	1
Packaging Quantity PL2	39
Packaging Type PL1	Piece

Packaging Type PL2	Medium_Box
Packaging Volume PL1	0,001621906
Packaging Volume PL2	0,082836
Packaging Weight PL1	0,169
Packaging Weight PL2	7,9322
Packaging Width PL1	107
Packaging Width PL2	390

## Documents

Page with all documents 

### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211  
E  
communications@georgfischer.  
com