

GF Silenta 3A elbow 67,5deg 90mm

1185528

- Light blue, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A elbow 67,5deg

Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A elbow 67,5deg 90mm

1185528



Status

Item Available From date 2026-02-01

Product code

Item no EAN 6414900269650

Item no GF 4704109030321

Item no GTIN 06414900269650

Item no RSK 2832158

Dimensions

Item Unit Height 158

Item Unit Length 169

Item Unit Weight 0,229

Item Unit Width 107

Item_UOM pce

Packaging

Packaging GTIN PL1 06414900552622

Packaging GTIN PL2 06414900653305

Packaging Height PL1 158

Packaging Height PL2 360

Packaging Length PL1 169

Packaging Length PL2 590

Packaging Quantity PL1 1

Packaging Quantity PL2 32

Packaging Type PL1 Piece

Packaging Type PL2 Medium_Box

Packaging Volume PL1 0,002857114

Packaging Volume PL2 0,082836

Packaging Weight PL1 0,229

Packaging Weight PL2 8,6692

Packaging Width PL1	107
Packaging Width PL2	390

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com