

GF Silenta 3A sleeve socket 90mm

1185533

- Light blue, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A sleeve socket

Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A sleeve socket 90mm

1185533

**Status**

Item Available From date 2026-02-01

Product code

Item no EAN 6414900269704

Item no GF 4704509030121

Item no GTIN 06414900269704

Item no RSK 2832193

Dimensions

Item Unit Height 107

Item Unit Length 125

Item Unit Weight 0,178

Item Unit Width 107

Item_UOM pce

Packaging

Packaging GTIN PL1 06414900552387

Packaging GTIN PL2 06414900653350

Packaging Height PL1 107

Packaging Height PL2 360

Packaging Length PL1 125

Packaging Length PL2 390

Packaging Quantity PL1 1

Packaging Quantity PL2 18

Packaging Type PL1 Piece

Packaging Type PL2 Medium_Box

Packaging Volume PL1 0,001431125

Packaging Volume PL2 0,040716

Packaging Weight PL1 0,178

Packaging Weight PL2 4,5452

Packaging Width PL1	107
---------------------	-----

Packaging Width PL2	290
---------------------	-----

Measurements

Z Measurement d	90,5
-----------------	------

Z Measurement e	2,6
-----------------	-----

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

E
communications@georgfischer.
com