

## GF Silenta 3A sleeve socket 90mm

1185533

- Light blue, PP-material with inorganic filler, according to EN 1451



### Application information GF Silenta 3A sleeve socket

#### Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

#### Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

## GF Silenta 3A sleeve socket 90mm

1185533

**Status**

Item Available From date 2026-02-01

**Product code**

Item no EAN 6414900269704

Item no GF 4704509030121

Item no GTIN 06414900269704

Item no RSK 2832193

**Dimensions**

Item Unit Height 107

Item Unit Length 125

Item Unit Weight 0,178

Item Unit Width 107

Item\_UOM pce

**Packaging**

Packaging GTIN PL1 06414900552387

Packaging GTIN PL2 06414900653350

Packaging Height PL1 107

Packaging Height PL2 360

Packaging Length PL1 125

Packaging Length PL2 390

Packaging Quantity PL1 1

Packaging Quantity PL2 18

Packaging Type PL1 Piece

Packaging Type PL2 Medium\_Box

Packaging Volume PL1 0,001431125

Packaging Volume PL2 0,040716

Packaging Weight PL1 0,178

Packaging Weight PL2 4,5452

Packaging Width PL1	107
Packaging Width PL2	290

## Documents

Page with all documents 

### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)