Product data sheet



GF Silenta 3A shower double branch 87,5° AMS 90-90

1185535

- Light blue, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A shower double branch 87,5° AMS

Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A shower double branch 87,5° AMS 90-90

1185535



Status

Item Available From date	2026-02-01

Product code

Item no EAN	6414900269728
Item no GF	4704209032021
Item no GTIN	06414900269728
Item no RSK	2832224

Dimensions

Item Unit Height	280
Item Unit Length	237
Item Unit Weight	0,582
Item Unit Width	107
Item_UOM	pce

Measurements

Length (l2)	50,2
Wall thickness_s	16
Z Measurement d	90
Z Measurement d1	90,5
Z Measurement d2	90,5
Z Measurement e	2,8
Z Measurement L1	56,5
Z Measurement LB	222

Packaging

Packaging GTIN PL1	06414900600095
Packaging GTIN PL2	06414900653374
Packaging Height PL1	280

Packaging Height PL2	360
Packaging Length PL1	237
Packaging Length PL2	590
Packaging Quantity PL1	1
Packaging Quantity PL2	4
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box
Packaging Volume PL1	0,00710052
Packaging Volume PL2	0,082836
Packaging Weight PL1	0,582
Packaging Weight PL2	3,669
Packaging Width PL1	107
Packaging Width PL2	390

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+