Product data sheet



GF Uponor Uni-X manifold end cap, flat seal L G1"FT

1002276

- For use with Uni-C manifolds
- Made of plated brass



About GF Uponor Uni-X manifold end cap, flat seal L

Specification

- Compression fittings with eurocone and metric connections
- Made of brass or tin-plated brass depending on variant
- Compatible with Uponor Uni Pipe PLUS and MLC pipes
- Female and male thread options according to EN ISO 228-1
- No bevel required for installation

Application

For connection of
- drinking water systems
- heating systems
- radiant heating and cooling systems

GF Uponor Uni-X manifold end cap, flat seal L G1"FT

1002276



Measurements

Female thread Rp	1

Product code

Item no EAN	6414905514922
Item no GF	35001002276
Item no GTIN	06414905514922
Item no VVS	045466908

Dimensions

Item Unit Height	45
Item Unit Length	45
Item Unit Weight	0,1
Item Unit Width	15
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905564897
Packaging GTIN PL3	06414905564903
Packaging Height PL1	20
Packaging Height PL3	75
Packaging Length PL1	200
Packaging Length PL3	275
Packaging Quantity PL1	10
Packaging Quantity PL3	20
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Volume PL1	0,0004
Packaging Volume PL3	0,00350625

Packaging Weight PL1	1,01
Packaging Weight PL3	2,14
Packaging Width PL1	100
Packaging Width PL3	170

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+