
Product data sheet



GF Uponor Uni-C plated, with valves L, UNI MT G3/4" 2XG1/2" c/c38mm

1002280

- Made of plated brass
- Valves on each circuit
- Delivered with service identification tags
- Adapters for pipe connection to be ordered separately
- Manifolds can be joined to make the required number of outlets
- With 3/4" male thread or female threaded ends
- 1/2" male thread outlets, compatible with Uponor compression adapters,
- and compression-free swivel-nut adapters 1141868 or 1141869



About GF Uponor Uni-C plated, with valves L, UNI MT

Specification

- Modular brass manifold system with male threaded connections
- Components made of tin-plated or plated brass; brackets in galvanised steel
- Compatible with ½" Uni-C compression adapters for MLC and Uni Pipe PLUS pipes
- Thread standards according to EN ISO 228-1 / DIN
- System includes manifolds, valves, end caps, plugs, brackets, couplings, and adapters


Application

- Distribution and connection of tap water
- Manifold-based installations with male threaded connections
- Adaptation between Uponor pipe systems (Uni Pipe PLUS, MLC) and Uponor ½" threaded components
- Use in residential and light commercial installations
- Flexible system extension via manifolds, adapters, and accessories

GF Uponor Uni-C plated, with valves L, UNI MT G3/4" 2XG1/2" c/c38mm

1002280





Measurements

Cylindric_thread_G	3/4
Cylindric_thread_G1	3/4
Cylindric thread G2	1/2
LENGTH_L	76
Length (l1)	31
Length (l2)	33,5
Z Measurement b	38
Z Measurement h	57,6

Product code

Item no EAN	6414905514953
Item no GF	35001002280
Item no GTIN	06414905514953

Dimensions

Item Unit Height	59
Item Unit Length	87
Item Unit Weight	0,35
Item Unit Width	64
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905251247
Packaging GTIN PL2	06414905251254
Packaging Height PL1	70
Packaging Height PL2	75
Packaging Length PL1	280
Packaging Length PL2	275

Packaging Quantity PL1	6
Packaging Quantity PL2	30
Packaging Type PL1	Base_Box
Packaging Type PL2	Medium_Box
Packaging Volume PL1	0,003332
Packaging Volume PL2	0,00350625
Packaging Weight PL1	2,11
Packaging Weight PL2	10,65
Packaging Width PL1	170
Packaging Width PL2	170

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+