
Product data sheet



GF Uponor Uni-C plated, with valves L, UNI MT G3/4" 3XG1/2" c/c38mm

1002281

- Made of plated brass
- Valves on each circuit
- Delivered with service identification tags
- Adapters for pipe connection to be ordered separately
- Manifolds can be joined to make the required number of outlets
- With 3/4" male thread or female threaded ends
- 1/2" male thread outlets, compatible with Uponor compression adapters,
- and compression-free swivel-nut adapters 1141868 or 1141869



About GF Uponor Uni-C plated, with valves L, UNI MT

Specification


- Modular brass manifold system with male threaded connections
- Components made of tin-plated or plated brass; brackets in galvanised steel
- Compatible with ½" Uni-C compression adapters for MLC and Uni Pipe PLUS pipes
- Thread standards according to EN ISO 228-1 / DIN
- System includes manifolds, valves, end caps, plugs, brackets, couplings, and adapters

Application

- Distribution and connection of tap water
- Manifold-based installations with male threaded connections
- Adaptation between Uponor pipe systems (Uni Pipe PLUS, MLC) and Uponor ½" threaded components
- Use in residential and light commercial installations
- Flexible system extension via manifolds, adapters, and accessories

GF Uponor Uni-C plated, with valves L, UNI MT G3/4" 3XG1/2" c/c38mm

1002281



Measurements

Cylindric_thread_G	3/4
Cylindric_thread_G1	3/4
Cylindric thread G2	1/2
LENGTH_L	114
Length (l1)	31
Length (l2)	33,5
Z Measurement b	38
Z Measurement h	57,6

Product code

Item no EAN	6414905514960
Item no GF	35001002281
Item no GTIN	06414905514960

Dimensions

Item Unit Height	59
Item Unit Length	125
Item Unit Weight	0,5
Item Unit Width	64
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905251261
Packaging GTIN PL3	06414905251278
Packaging Height PL1	70
Packaging Height PL3	200
Packaging Length PL1	280
Packaging Length PL3	300

Packaging Quantity PL1	4
Packaging Quantity PL3	40
Packaging Type PL1	Base_Box
Packaging Type PL3	Box
Packaging Volume PL1	0,003332
Packaging Volume PL3	0,024
Packaging Weight PL1	2,074
Packaging Weight PL3	21,03
Packaging Width PL1	170
Packaging Width PL3	400

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+